

| Regional Antibigram - 2019 Patients ≥18 years of age Alton Memorial Hospital, Barnes-Jewish Hospital, Christian Hospital, Parkland Health Center, St. Louis Children's Hospital | Percent of Strains Susceptible to Antimicrobial Indicated | | | | | | | | | | | | | | | | | | |
|---|---|------------|-------------|-------------|------------------------------|--------------------------|---------------|-------------|-------------|--------------|-------------------------|-----------|-----------------------------|-----------------------|------------|-----------------------------|-------------------------|-------------------------------|------------|
| | # Strains Tested | Ampicillin | Ceftaroline | Ceftriaxone | Ceftriaxone (non-meningitis) | Ceftriaxone (meningitis) | Ciprofloxacin | Clindamycin | Doxycycline | Erythromycin | Gentamicin (High-level) | Linezolid | Nitrofurantoin [†] | Oxacillin (Cefazolin) | Penicillin | Penicillin (non-meningitis) | Penicillin (meningitis) | Trimethoprim-Sulfamethoxazole | Vancomycin |
| Gram Positive | | | | | | | | | | | | | | | | | | | |
| <i>Streptococcus agalactiae</i> | 151 | | | 100 | | | | 48 | | 32 | | | | 100 | | | | | 100 |
| <i>Streptococcus dysgalactiae</i> | 50 | | | 100 | | | | 80 | | 82 | | | | 100 | | | | | 100 |
| <i>Streptococcus pyogenes</i> | 32 | | | 100 | | | | 69 | | 66 | | | | 100 | | | | | 100 |

Shaded boxes indicate organism/antimicrobial combinations not tested routinely.

Data based on first isolate per patient.